



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB} , $Y_w=100$, $Y_m=520\text{--}770$, $B_m=380\text{--}520$, and *sRGB* data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
 in the range $Y=0$ to 100




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)


tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
 in the range $Y=0$ to 100



CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)




CIE-E00 data of *Ostwald* colours of maximum chromatic value C_{AB} , $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (- -)



1-000030-L0

DE060-2A 2 5


CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB} ,
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)



1-000030-L0

DE060-2A 2 6

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)



CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB} , $Y_w=100$, $Y_m=520$ – 770 , $B_m=380$ – 520 , and *sRGB* data (—)

