



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
in the range $Y=0,0$ to $88,6$




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
 in the range $Y=0,0$ to $88,6$




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
in the range $Y=0,0$ to $88,6$



CIE-E00 data of *Ostwald* colours of maximum chromatic value C_{AB} , $Y_w=88.6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (- -)

tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
in the range $Y=0,0$ to 88,6




1-000030-L0

DE061-2A 2 5


CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
in the range $Y=0,0$ to $88,6$




CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
in the range $Y=0,0$ to $88,6$



CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB} ,
 $Y_w=88.6$, $Y_m=520\text{--}770$, $Bm=380\text{--}520$, and *sRGB* data (—)

tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
in the range $Y=0,0$ to 88,6



1-000030-L0

DE061-2A 2 8