



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and sRGB data (- -)

ab tristimulus value Y , and chromaticities a_1 , b_1 , c_{ab1}
 in the range $Y=0$ to 100




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and sRGB data (- -)



1-000030-L0


DE070-8A_8_2

CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and sRGB data (- -)




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)

ab tristimulus value Y , and chromaticities a_1 , b_1 , c_{ab1}
 in the range $Y=0$ to 100




CIE-E00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and sRGB data (- -)

ab tristimulus value Y , and chromaticities a_1 , b_1 , c_{ab1}
 in the range $Y=0$ to 100




CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and sRGB data (- -)

a , b tristimulus value Y , and chromaticities a_1 , b_1 , c_{ab1}
 in the range $Y=0$ to 100



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and sRGB data (- -)



1-000030-L0

DE070-8A_8_7

CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and sRGB data (- -)

a , b tristimulus value Y , and chromaticities a_1 , b_1 , c_{ab1}
 in the range $Y=0$ to 100

