



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-E00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)


a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)


a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}

in the range $Y=0,0$ to $88,6$



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and *sRGB* data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}

