


CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)

$Y$



I-000030-L0

DE080-6A\_6\_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)

$Y$

$AB$  tristimulus value  $Y$ , and chromatic values  $A_0, B_0, C_{AB0}$   
 in the range  $Y=0$  to 100

566, 95

573, 79

520, 63

484, 57

591, 42

734, 3d

529c

74, 20

456, 4

100

80

60

40

20

0

-20

-40

400 500 600 700;495c 567c;400


1-000030-L0

DE080-6A\_6\_2

CIE-P50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)

$Y$


$AB$  tristimulus value  $Y$ , and chromatic values  $A_0, B_0, C_{AB0}$   
 in the range  $Y=0$  to 100



I-000030-L0

DE080-6A\_6\_3


CIE-P45 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)



I-000030-L0

DE080-6A\_6\_4


CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)



I-000030-L0

DE080-6A\_6\_5


CIE-P35 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)



I-000030-L0

DE080-6A\_6\_6

CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)



I-000030-L0

DE080-6A\_6\_7

CIE-P25 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and *sRGB* data (—)

$AB$  tristimulus value  $Y$ , and chromatic values  $A_0, B_0, C_{AB0}$   
 in the range  $Y=0$  to 100

