


CIE-P60 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

Y

AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
 in the range $Y=0,0$ to $88,6$




I-000030-L0

DE081-6A_6_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

Y

AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
 in the range $Y=0,0$ to $88,6$




1-000030-L0


DE081-6A_6_2

CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
 in the range $Y=0,0$ to $88,6$



CIE-P45 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)




I-000030-L0

DE081-6A_6_4

CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
 in the range $Y=0,0$ to $88,6$




I-000030-L0

DE081-6A_6_5


CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

A B tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
 in the range $Y=0,0$ to $88,6$



CIE-P30 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
 in the range $Y=0,0$ to $88,6$



I-000030-L0

DE081-6A_6_7

CIE-P25 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
in the range $Y=0,0$ to $88,6$

