


CIE-P60 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)




I-000030-L0

DE090-8A_8_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)


ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100

566, 95
 573, 79
 529, 63
 484, 57
 474, 20
 456, 4
 391, 47
 567c; 400
 534, 3d
 529
 20




CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100




CIE-P45 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100




CIE-P30 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100



CIE-P25 data of *Ostwald* colours of maximum chromatic value C_{AB} , $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (- -)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{ab1}
15 in the range $Y=0$ to 100



1-000030-L0

DE090-8A 8 8