



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (---)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100



CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100



CIE-E00 data of Ostwald colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

ab tristimulus value Y , and chromaticities a_1 , b_1 , c_{abl}
 in the range $Y=0$ to 100

15
 10
 5
 0
 -5
 -10

Y

100

80

60

40

20

0

0
 -10

-5
 -10

-10

400 500 600 700;495c 567c;400

1-000030-L0

DE110-8A_8_5

568, 94

574, 80

525, 64

592, 42

730, 35

525c

20


0

484, 57

473, 19

459, 5

CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (---)




1-000030-L0


DE110-8A_8_6

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0$ to 100



CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (---)



I-000030-L0

DE110-8A_8_8