



CIE-P60 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)



1-000030-L0

DE120-7A_7_1


CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)



1-000030-L0

DE120-7A_7_2

CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)




1-000030-L0

DE120-7A_7_3

CIE-P45 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}




1-000030-L0

DE120-7A_7_4

CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100




1-000030-L0

DE120-7A_7_5

CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100




1-000030-L0

DE120-7A_7_6


CIE-P30 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100



CIE-P25 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100



1-000030-L0

DE120-7A_7_8