


CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

Y


A B tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
 in the range $Y=0$ to 100



I-000030-L0

DE200-6A_6_1


CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)



I-000030-L0

DE200-6A_6_2


CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (—)



I-000030-L0

DE200-6A_6_3


CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)



1-000030-L0

DE200-6A_6_4

CIE-E00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)




1-000030-L0

DE200-6A_6_5

CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

Y


AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
in the range $Y=0$ to 100



I-000030-L0

DE200-6A_6_6

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (—)




I-000030-L0

DE200-6A_6_7

CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

Y



I-000030-L0

DE200-6A_6_8