


CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods


CIE tristimulus values X , Y , Z
 in the range $Y=0,0$ to $88,6$



DE201-1 A_1


DE200-7R

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




DE201-2A_1

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




DE201-3A_1

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




DE201-4A_1

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods

AB tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
 in the range $Y=0,0$ to $88,6$



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods

a^*b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods

