




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods



CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods

Y



CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods



CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods

a tristimulus value Y , and chromaticities a_0 , b_0 , c_{ab0}
 in the range $Y=0,0$ to $88,6$

