




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods



CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$

$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$

$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$

$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$

$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$

$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$

$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$

$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$


$Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods



CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods



CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods



CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods

