



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




**CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520\text{--}770$, $Bm=380\text{--}520$, 2 calculation methods**


tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
in the range $Y=0,0$ to 88,6




CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods

Y

AB tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
 in the range $Y=0,0$ to $88,6$



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods

a tristimulus value Y , and chromaticities a_1 , b_1 , c_{abi}
in the range $Y=0,0$ to $88,6$

