



CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




## CIE-C00 data of *Ostwald* colours of maximum chromatic value $C_{AB}$ $Y_w=88,6$ , $Y_m=520\text{--}770$ , $Bm=380\text{--}520$ , 2 calculation methods


tristimulus value  $Y$ , and chromatic values  $A_1, B_1, C_{AB1}$   
in the range  $Y=0,0$  to 88,6




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods



CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods

$Y$

$AB$  tristimulus value  $Y$ , and chromatic values  $A_1, B_1, C_{AB1}$   
 in the range  $Y=0,0$  to  $88,6$



**CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$**   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods



CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , 2 calculation methods

*ab* tristimulus value  $Y$ , and chromaticities  $a_1$ ,  $b_1$ ,  $c_{abi}$   
 in the range  $Y=0,0$  to  $88,6$

