



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods



DE221-1 A_1


DE220-7R

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




DE221-2A_1

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




DE221-3A_1

CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods

AB tristimulus value Y , and chromatic values A_1 , B_1 , C_{AB1}
 in the range $Y=0,0$ to $88,6$



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods

