




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (- -)




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and sRGB data (—)



CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and sRGB data (—)



CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)


Y

AB tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
 in the range $Y=0,0$ to $88,6$



CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_0 , b_0 , c_{ab0}
 in the range $Y=0,0$ to $88,6$

