



CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




DE290-1 A\_1

DE291-7R


CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)



CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)

$Y$



**CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$**   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)



CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)

*ab* tristimulus value  $Y$ , and chromaticities  $a_1$ ,  $b_1$ ,  $c_{abi}$   
 in the range  $Y=0$  to 100

