



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




DE291-1 A_1

DE291-2A


CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)

Y

AB tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
 in the range $Y=0,0$ to $88,6$

60

40

20

0

-20

-40

100

80

60

40

20

0

DE291-6A_1

500

600

700;495c

567c;400

λ_d

561, 77
572, 74

486, 9
521, 55


592, 48

732, 44
527c

473, 25


561, 22

20



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)

a^*b^* CIELAB lightness L^* , and chroma a^*, b^*, C_{ab}^*
 in the range $Y=0,0$ to $88,6$



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)

ab tristimulus value Y , and chromaticities a_1 , b_1 , c_{abi}
 in the range $Y=0,0$ to $88,6$

