




CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)



CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)



CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88.6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




DE291-5A 1


CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)

Y

AB tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
 in the range $Y=0,0$ to $88,6$



CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)



CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)

ab tristimulus value Y , and chromaticities a_1 , b_1 , c_{abi}
 in the range $Y=0,0$ to $88,6$

