




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520$ – 770 , $Bm=380$ – 520 , and 1-minus data (— —)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)



CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)



DE300-6A_1

CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)



DE300-7A_1

CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (— —)

ab tristimulus value Y , and chromaticities a_0 , b_0 , c_{ab0}
 in the range $Y=0$ to 100

