




CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )



CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )

$Y$



**CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$**   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )



CIE-P60 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )

