



CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)



DE301-1 A_1


DE301-3A

CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




DE301-2A_1

CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)




DE301-3A_1

CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)




CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)




CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

A_0 , B_0 , C_{AB0} tristimulus value Y , and chromatic values A_0 , B_0 , C_{AB0}
in the range $Y=0,0$ to $88,6$



CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^*b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

