



CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88.6$, $Y_m=520\text{--}770$, $Bm=380\text{--}520$, and 1-minus data (- -)


CIELAB lightness L^* , and chroma a^*, b^*, C^*_{ab}
in the range $Y=0,0$ to 88,6



CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)

Y



CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)



CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and 1-minus data (- -)

ab tristimulus value Y , and chromaticities a_0 , b_0 , c_{ab0}
 in the range $Y=0,0$ to $88,6$

