




CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88.6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )



CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )

$Y$



CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )



CIE-P30 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )

*ab* tristimulus value  $Y$ , and chromaticities  $a_0$ ,  $b_0$ ,  $c_{ab0}$   
 in the range  $Y=0,0$  to  $88,6$

