




CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520$  \_770,  $B_m=380$  \_520, and 1-minus data (— —)




CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)



CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)



CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)



CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)

