


Ostwald colours O,  $Y_W=100$   
 max (m) chromatic value, P50  
 chromaticity (x, y)

Name and spectral range

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475



CIE 1931

x

$X_w=98,12, Y_w=100,00, Z_w=86,50$

$x_w=0,3447 \ y_w=0,3513$

$A_0=(a_0-[a_{0,n}+a_{0,Y}+a_{0,A}]) \ Y$

$B_0=(b_0-[b_{0,n}+b_{0,Y}+b_{0,A}]) \ Y$

$a_0 = a_{20} [x/y]$

$b_0 = b_{20} [z/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$n = P50$

$a_{0,Y}=a_{2Y}(Y/Y_{18}-1)$

$b_{0,Y}=b_{2Y}(Y/Y_{18}-1)$


$a_{2Y}=0,000, \ b_{2Y}=0,000$

$a_{0,A}=0,000, \ b_{0,A}=0,000$

Ostwald colours O,  $Y_W=100$

max (m) chromatic value, P50

chromatic value ( $A_0, B_0$ )



$X_w=98,12$ ,  $Y_w=100,00$ ,  $Z_w=86,50$

$x_w=0,3447$   $y_w=0,3513$

$A_1=(a_1-[a_{1,n}+a_{1,Y}+a_{1,A}]) Y$

$B_1=(b_1-[b_{1,n}+b_{1,Y}+b_{1,A}]) Y$

$a_1 = a_{20} [(x-0,171)/y]$

$b_1 = b_{20} [z/y]$

$a_{20} = 1$ ,  $b_{20} = -0,4$

$m_{T1}=1,000$ ,  $b_{T1}=0,171$

$n = P50$

$a_{1,Y}=a_{2Y}(Y/Y_{18}-1)$

$b_{1,Y}=b_{2Y}(Y/Y_{18}-1)$


$a_{2Y}=0,000$ ,  $b_{2Y}=0,000$

$a_{1,A}=0,000$ ,  $b_{1,A}=0,000$

Ostwald colours O,  $Y_W=100$

max (m) chromatic value, P50

chromatic value ( $A_1$ ,  $B_1$ )



$$X_w=98,12, Y_w=100,00, Z_w=86,50$$

$$x_w=0,3447 \quad y_w=0,3513$$

$$A_2=(a_2-[a_{2,n}+a_{2,Y}+a_{2,A}]) \quad Y$$

$$B_2=(b_2-[b_{2,n}+b_{2,Y}+b_{2,A}]) \quad Y$$

$$a_2 = a_{20} [(x-0,171)/y]$$

$$b_2=b_{20} [(m_{P1}x+b_{P1})/y]$$

$$a_{20} = 1, \quad b_{20} = -0,4$$

$$m_{P1}=-0,169, \quad b_{P1}=0,389$$

$$n = P50$$

$$a_{2,Y}=a_{2Y}(Y/Y_{18}-1)$$

$$b_{2,Y}=b_{2Y}(Y/Y_{18}-1)$$


$$a_{2Y}=0,000, \quad b_{2Y}=0,000$$

$$a_{2,A}=0,000, \quad b_{2,A}=0,000$$

Ostwald colours O,  $Y_w=100$

max (m) chromatic value, P50

chromatic value ( $A_2, B_2$ )



$X_w=98,12$ ,  $Y_w=100,00$ ,  $Z_w=86,50$

$x_w=0,3447$   $y_w=0,3513$

$A_3=(a_3-[a_{3,n}+a_{3,Y}+a_{3,A}]) Y$

$B_3=(b_3-[b_{3,n}+b_{3,Y}+b_{3,A}]) Y$

$a_3 = a_{20} [(x-0,171)/y]$

$b_3=b_{20} [(m_{D1}x+b_{D1})/y]$

$a_{20} = 1$ ,  $b_{20} = -0,4$

$m_{D1}=-0,974$ ,  $b_{D1}=0,658$

$n = P50$

$a_{3,Y}=a_{2Y}(Y/Y_{18}-1)$

$b_{3,Y}=b_{2Y}(Y/Y_{18}-1)$


$a_{2Y}=0,000$ ,  $b_{2Y}=0,000$

$a_{3,A}=0,000$ ,  $b_{3,A}=0,000$

Ostwald colours O,  $Y_W=100$

max (m) chromatic value, P50

chromatic value ( $A_3$ ,  $B_3$ )



$$X_w=98,12, Y_w=100,00, Z_w=86,50$$

$$x_w=0,3447 \quad y_w=0,3513$$

$$A_4=(a_4-[a_{4,n}+a_{4,Y}+a_{4,A}]) \quad Y$$

$$B_4=(b_4-[b_{4,n}+b_{4,Y}+b_{4,A}]) \quad Y$$

$$a_4 = a_{20} [(x-0,171)/y]$$

$$b_4=b_{20} [(m_{P1}x+b_{P1})/y]$$

$$a_{20} = 1, \quad b_{20} = -0,4$$

$$m_{P1}=-0,169, \quad b_{P1}=0,389$$

$$n = P50$$

$$a_{4,Y}=a_{2Y}(Y/Y_{18}-1)$$

$$b_{4,Y}=b_{2Y}(Y/Y_{18}-1)$$


$$a_{2Y}=0,000, \quad b_{2Y}=0,000$$

$$a_{4,A}=0,000, \quad b_{4,A}=0,000$$

Ostwald colours O,  $Y_w=100$

max (m) chromatic value, P50

chromatic value ( $A_4, B_4$ )



$X_w=98,12, Y_w=100,00, Z_w=86,50$

$x_w=0,3447 y_w=0,3513$

$A_5=(a_5-[a_{5,n}+a_{5,Y}+a_{5,A}]) Y$

$B_5=(b_5-[b_{5,n}+b_{5,Y}+b_{5,A}]) Y$

$a_5=a_{2x}[(+8,61x-7,19y-0,26)/y]$

$b_5=b_{2x}[(+1,99x+3,86y-2,40)/y]$

$a_{2x}=0,10, b_{2x}=0,10$

$\lambda_{B,G,Y,R}=475,503,574,494 \text{ nm}$

$n = \text{P50}$

$a_{5,Y}=a_{2Y}(Y/Y_{18}-1)$

$b_{5,Y}=b_{2Y}(Y/Y_{18}-1)$


$a_{2Y}=0,000, b_{2Y}=0,000$

$a_{5,A}=0,000, b_{5,A}=0,000$

Ostwald colours  $O, Y_W=100$

max (m) chromatic value, P50

chromatic value ( $A_5, B_5$ )



$X_w=98,12, Y_w=100,00, Z_w=86,50$

$x_w=0,3447 \ y_w=0,3513$

$A_6=(a_6-[a_{6,n}+a_{6,Y}+a_{6,A}]) \ Y$

$B_6=(b_6-[b_{6,n}+b_{6,Y}+b_{6,A}]) \ Y$

$a_6 = a_{20} [x/y]$

$b_6=b_{20} [(m_{D1}x+b_{D1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{D1}=-0,974, \ b_{D1}=0,658$

$n = P50$

$a_{6,Y}=a_{2Y}(Y/Y_{18}-1)$

$b_{6,Y}=b_{2Y}(Y/Y_{18}-1)$

$a_{2Y}=0,000, \ b_{2Y}=0,000$

$a_{6,A}=0,000, \ b_{6,A}=0,000$

Ostwald colours O,  $Y_W=100$

max (m) chromatic value, P50

chromatic value ( $A_6, B_6$ )

