

Ostwald optimal colours (o) of maximum (m) C_{AB} for P60, $Y_w=100$, $Y_m=520$, 770

i	λ_i	λ_2	λ_3	Y_{100}	A_{100}	B_{100}	C_{AB}	α	b	R_{AB}	i_4	i_5	i_6	i_7	i_8	i_9	i_{10}	Code
0	405	32	563	57.75	-23.52	-17.29	29.19	0.5634	-0.7177	216.3	16	483	38	590	62	500	500	Cm
6	435	32	563	58.29	-28.0	-8.43	29.24	0.4903	-0.5629	196.7	17	487	44	621				
10	450	33	565	58.9	-34.37	5.49	34.81	0.3971	-0.325	170.9	19	497	41	497c				
11	460	33	566	60.12	-35.87	9.37	37.07	0.374	-0.2624	165.3	20	502		1	502c			
13	465	33	568	60.68	-37.82	15.56	40.9	0.3474	-0.1618	157.6	22	513		1	513c			
14	470	34	570	62.18	-38.45	18.5	42.67	0.3521	-0.1207	154.3	24	521		1	521c			
15	475	34	574	64.7	-38.6	21.39	44.13	0.374	-0.0875	151.0	25	529		1	529c			Gm
15	480	36	580	69.95	-38.16	23.59	44.86	0.4251	-0.081	148.2	27	535		1	535c			
17	485	39	595	78.0	-33.31	29.44	44.46	0.5435	-0.0407	138.5	29	549		1	549c			
18	490	41	590	84.22	-11.76	37.03	38.86	0.8458	-0.0251	107.6	33	566		11	459			max
19	495	41	595	92.78	-10.41	37.05	38.49	0.8584	-0.0188	105.6	33	567		12	461			
20	500	41	590	90.97	-8.67	36.78	37.78	0.8753	-0.0139	103.2	33	568		12	464			
22	510	41	595	85.98	-3.96	35.32	35.54	0.9246	-0.0074	96.3	34	570		13	469			
24	520	41	590	79.07	2.1	32.75	32.82	0.9972	-0.004	86.3	34	572		14	473			Ym
25	530	41	529	75.03	5.34	31.16	31.61	1.0419	-0.0029	80.2	34	575		15	475			
27	540	41	539	66.2	11.72	27.58	29.97	1.1478	-0.0016	66.9	35	578		15	478			
29	545	41	545	56.82	17.37	23.71	29.39	1.2763	-0.0009	53.7	36	582		16	480			
29	550	41	549	56.82	17.37	23.71	29.39	1.2763	-0.0009	53.7	36	582		16	480			
30	555	41	554	52.07	19.73	21.74	29.39	1.3495	-0.0007	47.7	36	584		16	481			
32	560	41	560	42.7	23.2	17.84	29.27	1.5141	-0.0005	37.5	37	589		16	483			
32	563	0	405	42.24	23.52	17.29	29.19	1.5274	-0.0089	36.3	38	590		16	483			Rm
32	563	6	435	41.7	28.0	8.43	29.24	1.642	-0.216	16.7	44	621		17	487			
33	565	10	450	41.09	34.37	-5.49	34.81	1.8072	-0.5519	350.9	1	497		19	497			
33	566	11	460	39.87	35.87	-9.37	37.07	1.8703	-0.6532	345.1	1	502		20	502			
33	568	13	465	39.31	37.82	-15.56	40.9	1.9328	-0.8142	337.6	1	513		22	513			
34	570	14	470	37.81	38.45	-18.5	42.67	1.9876	-0.9074	334.3	1	521		24	521			
34	574	15	475	35.29	38.6	-21.39	44.13	2.0643	-1.0244	331.0	1	529		25	529			Mm
36	580	15	480	30.04	38.16	-23.59	44.86	2.2411	-1.2035	328.2	1	535		27	535			
39	595	17	485	21.99	33.31	-29.44	44.46	2.4851	-1.7567	318.5	1	549		29	549			
41	590	18	490	5.77	11.76	-37.03	38.86	3.0068	-6.8297	287.6	11	459		33	566			min
41	595	19	495	7.21	10.41	-37.05	38.49	2.413	-5.5515	285.6	12	461		33	567			
41	590	20	500	9.02	8.67	-36.78	37.78	1.9318	-4.493	283.2	12	464		33	568			
41	510	22	510	14.01	3.96	-35.32	35.54	1.2533	-2.9397	276.3	13	469		34	570			
41	520	24	520	20.92	-2.1	-32.75	32.82	0.8702	-1.9835	266.3	14	473		34	572			Bm
41	529	25	530	24.96	-5.34	-31.16	31.61	0.7564	-1.6667	260.2	15	475		34	574			
41	539	27	540	33.79	-11.72	-27.58	29.97	0.6237	-1.2346	246.9	15	478		35	578			
41	545	29	545	43.17	-17.37	-23.71	29.39	0.5683	-0.9676	233.7	16	480		36	582			
41	549	29	550	43.17	-17.37	-23.71	29.39	0.5683	-0.9676	233.7	16	480		36	582			
41	554	30	555	47.92	-19.73	-21.74	29.36	0.559	-0.872	227.7	16	481		36	584			
41	560	32	560	57.29	-23.2	-17.84	29.27	0.5655	-0.7297	217.5	16	483		37	589			
380	770	99.99	0.0	0.0	0.01	0.9706	-0.4182	0.0										

