


CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )


$Y$ ,  $100 - Y$ ,  $C_{AB0}$ ,  $100 - C_{AB0}$  in the range  $Y=0$  to  $100$



DE550-1 A\_1


DE550-4A-R

CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )




DE550-2A\_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )




CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )




DE550-4A\_1


CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )



CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )



CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )



DE550-7A\_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )

