


CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)


Y , $100 - Y$, C_{AB0} , $100 - C_{AB0}$ in the range $Y=0,0$ to $88,6$




DE591-1 A_1

DE590-7R-R

CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




DE591-3A_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

Y , $100 - Y$, C_{AB0} , $100 - C_{AB0}$ in the range $Y=0,0$ to $88,6$




CIE-P55 data of Ostwald colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




DE591-6A 1

**CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)**



DE591-7A_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)



DE591-BA_1