


CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520,770$ ,  $B_m=380,520$ , and 1-minus data ( - - )


$Y$ ,  $100 - Y$ ,  $C_{AB1}$ ,  $100 - C_{AB1}$  in the range  $Y=0,0$  to  $88,6$




DE661-1 A\_1

DE660-7R-R


CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520,770$ ,  $B_m=380,520$ , and 1-minus data ( - - )



CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520,770$ ,  $B_m=380,520$ , and 1-minus data ( - - )




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520,770$ ,  $B_m=380,520$ , and 1-minus data ( - - )




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )


$Y$ ,  $100 - Y$ ,  $C_{AB1}$ ,  $100 - C_{AB1}$  in the range  $Y=0,0$  to  $88,6$



CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520,770$ ,  $B_m=380,520$ , and 1-minus data ( - - )



CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520,770$ ,  $B_m=380,520$ , and 1-minus data ( - - )



DE661-7A\_1

CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and 1-minus data ( - - )

