


CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)


Y , $100 - Y$, C_{AB6} , $100 - C_{AB6}$ in the range $Y=0,0$ to $88,6$




DE681-1 A_1

DE680-7R-R


CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

Y , $100 - Y$, C_{AB6} , $100 - C_{AB6}$ in the range $Y=0,0$ to $88,6$




**CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)**



DE681-6A 1

CIE-D50 data of Ostwald colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)



DE681-7A_1

CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)

