



CIE-D65-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )




CIE-D50-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG110-5A\_5\_2


CIE-P40-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG110-5A\_5\_3


CIE-A00-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG110-5A\_5\_4


**CIE-E00-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$**   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG110-5A\_5\_5


CIE-C00-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG110-5A\_5\_6

**CIE-P00-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$**   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG110-5A\_5\_7

CIE-Q00-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )

