



**CIE-P60-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )**



0-000030-L0

DG130-2A\_2\_1


**CIE-P55-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$**   
 $Y_w=100, Y_m=520\_770, B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG130-2A\_2\_2


**CIE-P50-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$**   
 $Y_w=100, Y_m=520\_770, B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG130-2A\_2\_3


CIE-P45-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG130-2A\_2\_4


**CIE-P40-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$**   
 $Y_w=100, Y_m=520\_770, B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG130-2A\_2\_5


CIE-P35-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )



0-000030-L0

DG130-2A\_2\_6

**CIE-P30-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$  und 1-Minus-Daten ( - - )**



0-000030-L0

DG130-2A\_2\_7

**CIE-P25-Daten von -Ostwald-Farben von maximalem Buntwert  $C_{AB}$**   
 $Y_w=100, Y_m=520\_770, B_m=380\_520$  und 1-Minus-Daten ( - - )

