

HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\text{D65: } \Sigma \bar{I}_{10,1}(\lambda) = 22,21$$

$$x_{10,1} = 0,3137$$

$$y_{10,1} = 0,3309$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\text{D50: } \Sigma \bar{I}_{10,1}(\lambda) = 22,59$$

$$x_{10,1} = 0,3477$$

$$y_{10,1} = 0,3594$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\text{P40: } \Sigma \bar{I}_{10,1}(\lambda) = 23,70$$

$$x_{10,1} = 0,3821$$

$$y_{10,1} = 0,3755$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\text{A00: } \Sigma \bar{I}_{10,1}(\lambda) = 25,84$$

$$x_{10,1} = 0,4511$$

$$y_{10,1} = 0,4058$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\text{E00: } \Sigma \bar{I}_{10,1}(\lambda) = 23,35$$

$$x_{10,1} = 0,3332$$

$$y_{10,1} = 0,3332$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\text{C00: } \Sigma \bar{I}_{10,1}(\lambda) = 21,73$$

$$x_{10,1} = 0,3103$$

$$y_{10,1} = 0,3190$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\text{P00: } \Sigma \bar{I}_{10,1}(\lambda) = 23,90$$

$$x_{10,1} = 0,3608$$

$$y_{10,1} = 0,3525$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{I}_{10,1}(\lambda) = \mathbf{B}_{11}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{12}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{13}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$Q00: \Sigma \bar{I}_{10,1}(\lambda) = 22,96$$

$$x_{10,1} = 0,3065$$

$$y_{10,1} = 0,3115$$

