

HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{10,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{10,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{D65: } \Sigma \bar{s}_{10,1}(\lambda) = 24,47$$

$$x_{10,1} = 0,3137$$

$$y_{10,1} = 0,3309$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{10,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{10,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{D50: } \Sigma \bar{s}_{10,1}(\lambda) = 18,35$$

$$x_{10,1} = 0,3477$$

$$y_{10,1} = 0,3594$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$P40: \Sigma \bar{s}_{10,1}(\lambda) = 14,76$$

$$x_{10,1} = 0,3821$$

$$y_{10,1} = 0,3755$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{10,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{10,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{A00: } \Sigma \bar{s}_{10,1}(\lambda) = 8,31$$

$$x_{10,1} = 0,4511$$

$$y_{10,1} = 0,4058$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$E00: \Sigma \bar{s}_{10,1}(\lambda) = 23,35$$

$$x_{10,1} = 0,3332$$

$$y_{10,1} = 0,3332$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$C00: \Sigma \bar{s}_{10,1}(\lambda) = 25,84$$

$$x_{10,1} = 0,3103$$

$$y_{10,1} = 0,3190$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{10,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{10,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{P00: } \Sigma \bar{s}_{10,1}(\lambda) = 18,96$$

$$x_{10,1} = 0,3608$$

$$y_{10,1} = 0,3525$$



HPE_CIE10-cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{10,1}(\lambda) = \mathbf{B}_{31}\bar{x}_{10,1}(\lambda) + \mathbf{B}_{32}\bar{y}_{10,1}(\lambda) + \mathbf{B}_{33}\bar{z}_{10,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$Q00: \Sigma \bar{s}_{10,1}(\lambda) = 28,82$$

$$x_{10,1} = 0,3065$$

$$y_{10,1} = 0,3115$$

