


HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

B_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=511, 565, 623$ D65: $\Sigma \bar{I}_{10,s}(\lambda)=97,40$




HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

B_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=515, 575, 626$ D50: $\Sigma \bar{I}_{10,s}(\lambda)=100,18$




HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

R_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=521, 585, 629$ P40: $\Sigma \bar{I}_{10,s}(\lambda)=103,48$




HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

B_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=532, 590, 633$ A00: $\Sigma \bar{I}_{10,s}(\lambda)=109,44$




HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

B_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=515, 575, 626$ E00: $\Sigma \bar{I}_{10,s}(\lambda)=99,99$




HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

B_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=517, 565, 621$ C00: $\Sigma \bar{I}_{10,s}(\lambda)=97,67$




HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

B_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=519, 585, 629$ P00: $\Sigma \bar{I}_{10,s}(\lambda)=102,40$



HPE_CIE10 log[YB-cone sensitivity]

$\log [\bar{I}_{10,n}(\lambda) / 0,5]$

B_{1j} 0,3897 0,6889 -0,0786 ($\lambda \sim 570$)

$\lambda_{1,m,2}=511, 570, 623$ Q00: $\Sigma \bar{I}_{10,s}(\lambda)=97,60$

