



HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$




HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$




HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$




HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$




HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$




HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$



HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$



HPE_CIE10-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{g}_{10,s}(\lambda) = 2 \bar{m}_{10,1}(\lambda) - \bar{l}_{10,1}(\lambda)$$

