



HPE_CIE10 GR-cone sensitivity

$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$



HPE_CIE10 GR-cone sensitivity


$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$



HPE_CIE10 GR-cone sensitivity


$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$

$\lambda_{1,m,2}=497, 540, 580$ P40: $\Sigma \bar{g}_{10,s}(\lambda)=92,41$




HPE_CIE10 GR-cone sensitivity

$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$




HPE_CIE10 GR-cone sensitivity

$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$




HPE_CIE10 GR-cone sensitivity

$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$



HPE_CIE10 GR-cone sensitivity

$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$



HPE_CIE10 GR-cone sensitivity

$$\bar{g}_{10,n}(\lambda) = 2 \bar{m}_{10,n}(\lambda) - \bar{l}_{10,n}(\lambda)$$

