



HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$




HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$




HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$




HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$




HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$




HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$



HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$



HPE_CIEF02_X GR-cone sensitivity

$$\bar{g}_{F02_X,n}(\lambda) = 2 \bar{m}_{F02_X,n}(\lambda) - \bar{l}_{F02_X,n}(\lambda)$$

