


HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$D65: \Sigma \bar{s}_{F02_X,1}(\lambda) = 12,19$$

$$x_{F02_X,1} = 0,3133 \quad y_{F02_X,1} = 0,3305$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$D50: \Sigma \bar{s}_{F02_X,1}(\lambda) = 9,11$$

$$x_{F02_X,1} = 0,3483 \quad y_{F02_X,1} = 0,3607$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$P40: \Sigma \bar{s}_{F02_X,1}(\lambda) = 7,35$$

$$x_{F02_X,1} = 0,3831 \quad y_{F02_X,1} = 0,3775$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$A00: \Sigma \bar{s}_{F02_X,1}(\lambda) = 4,12$$

$$x_{F02_X,1} = 0,4526 \quad y_{F02_X,1} = 0,4086$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$E00: \Sigma \bar{s}_{F02_X,1}(\lambda) = 11,71$$

$$x_{F02_X,1} = 0,3331 \quad y_{F02_X,1} = 0,3330$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$C00: \Sigma \bar{s}_{F02_X,1}(\lambda) = 12,86$$

$$x_{F02_X,1} = 0,3101 \quad y_{F02_X,1} = 0,3185$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$P00: \Sigma \bar{s}_{F02_X,1}(\lambda) = 9,49$$

$$x_{F02_X,1} = 0,3616 \quad y_{F02_X,1} = 0,3533$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad (\lambda \sim 445)$$

$$Q00: \Sigma \bar{s}_{F02_X,1}(\lambda) = 14,49$$

$$x_{F02_X,1} = 0,3054 \quad y_{F02_X,1} = 0,3099$$

