


HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$D65: \Sigma \bar{I}_{F02_X,1}(\lambda) = 22,17$$

$$x_{F02_X,1} = 0,3133 \quad y_{F02_X,1} = 0,3305$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$D50: \Sigma \bar{I}_{F02_X,1}(\lambda) = 22,47$$

$$x_{F02_X,1} = 0,3483 \quad y_{F02_X,1} = 0,3607$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$P40: \Sigma \bar{I}_{F02_X,1}(\lambda) = 23,45$$

$$x_{F02_X,1} = 0,3831 \quad y_{F02_X,1} = 0,3775$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$A00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 25,34$$

$$x_{F02_X,1} = 0,4526 \quad y_{F02_X,1} = 0,4086$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$E00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 23,20$$

$$x_{F02_X,1} = 0,3331 \quad y_{F02_X,1} = 0,3330$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$C00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 21,65$$

$$x_{F02_X,1} = 0,3101 \quad y_{F02_X,1} = 0,3185$$




HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$P00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 23,67$$

$$x_{F02_X,1} = 0,3616 \quad y_{F02_X,1} = 0,3533$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$Q00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 22,89$$

$$x_{F02_X,1} = 0,3054 \quad y_{F02_X,1} = 0,3099$$

