

HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda)$$

$$+ B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$D65: \Sigma \bar{m}_{F10_X,1}(\lambda) = 20,60$$

$$x_{F10_X,1} = 0,3136 \quad y_{F10_X,1} = 0,3311$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda) + B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$D50: \Sigma \bar{m}_{F10_X,1}(\lambda) = 19,61$$

$$x_{F10_X,1} = 0,3480 \quad y_{F10_X,1} = 0,3594$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda) + B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$P40: \Sigma \bar{m}_{F10_X,1}(\lambda) = 19,02$$

$$x_{F10_X,1} = 0,3829 \quad y_{F10_X,1} = 0,3752$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda) + B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$A00: \Sigma \bar{m}_{F10_X,1}(\lambda) = 17,94$$

$$x_{F10_X,1} = 0,4528 \quad y_{F10_X,1} = 0,4051$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda) + B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$E00: \Sigma \bar{m}_{F10_X,1}(\lambda) = 20,39$$

$$x_{F10_X,1} = 0,3331 \quad y_{F10_X,1} = 0,3331$$



HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda)$$

$$+ B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$C00: \Sigma \bar{m}_{F10_X,1}(\lambda) = 20,05$$

$$x_{F10_X,1} = 0,3100 \quad y_{F10_X,1} = 0,3190$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda) + B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$P00: \Sigma \bar{m}_{F10_X,1}(\lambda) = 19,70$$

$$x_{F10_X,1} = 0,3611 \quad y_{F10_X,1} = 0,3521$$



HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{m}_{F10_X,1}(\lambda) = B_{21}\bar{x}_{F10_X,1}(\lambda) + B_{22}\bar{y}_{F10_X,1}(\lambda) + B_{23}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{2j} \quad -0,4299 \quad 1,2038 \quad 0,0862 \quad (\lambda \sim 545)$$

$$Q00: \Sigma \bar{m}_{F10_X,1}(\lambda) = 21,22$$

$$x_{F10_X,1} = 0,3062 \quad y_{F10_X,1} = 0,3115$$

