


HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$D65: \Sigma \bar{s}_{F10_X,1}(\lambda) = 11,57$$

$$x_{F10_X,1} = 0,3136 \quad y_{F10_X,1} = 0,3311$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$D50: \Sigma \bar{s}_{F10_X,1}(\lambda) = 8,65$$

$$x_{F10_X,1} = 0,3480 \quad y_{F10_X,1} = 0,3594$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$P40: \Sigma \bar{s}_{F10_X,1}(\lambda) = 6,95$$

$$x_{F10_X,1} = 0,3829 \quad y_{F10_X,1} = 0,3752$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$A00: \Sigma \bar{s}_{F10_X,1}(\lambda) = 3,88$$

$$x_{F10_X,1} = 0,4528 \quad y_{F10_X,1} = 0,4051$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$E00: \Sigma \bar{s}_{F10_X,1}(\lambda) = 11,05$$

$$x_{F10_X,1} = 0,3331 \quad y_{F10_X,1} = 0,3331$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$C00: \Sigma \bar{s}_{F10_X,1}(\lambda) = 12,24$$

$$x_{F10_X,1} = 0,3100 \quad y_{F10_X,1} = 0,3190$$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$P00: \Sigma \bar{s}_{F10_X,1}(\lambda) = 8,96$$

$$x_{F10_X,1} = 0,3611 \quad y_{F10_X,1} = 0,3521$$



HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad (\lambda \sim 445)$$

$$Q00: \Sigma \bar{s}_{F10_X,1}(\lambda) = 13,67$$

$$x_{F10_X,1} = 0,3062 \quad y_{F10_X,1} = 0,3115$$

