

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} ; D65, $Y_m=520_{-770}$, Y_{AB_77}												
<i>Code, K=1:25</i>	<i>Y</i>	<i>A</i>	<i>B</i>	c_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ^*_d	i_c	λ^*_c	
R _{me} 570_770	33.13	21.25	14.25	25.59	1.592	-0.0052	33.8	38	592	16	484	
Y _{me} 520_770	73.84	-1.12	31.59	31.61	0.9352	-0.0077	92.0	34	570	14	474	
G _{me} 470_570	55.48	-33.6	14.57	36.63	0.3447	-0.1728	156.5	23	515	-1	515c	
C _m 380_570	57.21	-21.25	-14.26	25.59	0.5789	-0.6848	213.8	16	484	38	592	
B _{me} 380_520	16.49	1.13	-31.59	31.61	1.0192	-2.3507	272.0	14	471	33	568	
M _m 570_470	34.85	33.6	-14.57	36.62	1.9144	-0.8536	336.5	-1	504c	20	504	
R _o 570_445	33.47	27.67	1.1	27.69	1.7772	-0.4026	2.2	-1	490c	18	490	
G _o 520_570	46.53	-27.28	19.29	33.42	0.364	-0.0209	144.7	27	538	-1	538c	
W ₁ 380_770	90.0	0.0	0.0	0.01	0.9504	-0.4355	353.4	38	591	16	484	