



































GE850-7A: Measurement: GE85_HRS16_96_D65_00%_O0_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE850-7A: Measurement: GE85_HRS16_96_D65_00%_O1_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE850-7A: Measurement: GE85_HRS16_96_D65_25%_00_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE850-7A: Measurement: GE85_HRS16_96_D65_25%_O1_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE850-7A: Measurement: GE85_HRS16_96_D65_50%_00_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE850-7A: Measurement: GE85_HRS16_96_D65_50%_O1_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE850-7A: Measurement: GE85_HRS16_96_D65_75%_00_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow ol^*$
output: no change compared to input



GE850-7A: Measurement: GE85_HRS16_96_D65_75%_O1_LU.DAT, 243 colours, 090115, Separation olv^* , adapted

TUB-test chart GE85; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input