



































GE880-7A: Measurement: GE88_FRS09_92_D65_00%_00_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE88; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE880-7A: Measurement: GE88_FRS09_92_D65_00%_O1_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE88; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow ol^*$
output: no change compared to input



GE880-7A: Measurement: GE88_FRS09_92_D65_25%_00_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE88; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations





input: $rgb \rightarrow ol^*$
output: no change compared to input







GE880-7A: Measurement: GE88_FRS09_92_D65_25%_O1_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE88; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations





input: $rgb \rightarrow ol^*$
output: no change compared to input







GE880-7A: Measurement: GE88_FRS09_92_D65_50%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted



















GE880-8A, 5; cfi=0.90; nt=0.18; nx=1.0



GE881-7A, 5; cfi=0.90; nt=0.18; nx=1.0




GE881-8A, 5; cfi=0.90; nt=0.18; nx=1.0




GE880-7A: Measurement: GE88_FRS09_92_D65_50%_O1_LU.DAT, 243 colours, 090115, Separation olv^* , adapted

TUB-test chart GE88; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations


input: $rgb \rightarrow olv^*$
output: no change compared to input




GE880-1A, 7; cfi=0.90; nt=0.18; nx=1.0



GE880-3A, 7; cfi=0.90; nt=0.18; nx=1.0




GE880-5A, 7; cfi=0.90; nt=0.18; nx=1.0




GE880-7A, 7; cfi=0.90; nt=0.18; nx=1.0


GE880-7A: Measurement: GE88_FRS09_92_D65_75%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted




GE880-2A, 7; cfi=0.90; nt=0.18; nx=1.0




GE880-4A, 7; cfi=0.90; nt=0.18; nx=1.0




GE880-6A, 7; cfi=0.90; nt=0.18; nx=1.0




GE880-8A, 7; cfi=0.90; nt=0.18; nx=1.0




GE881-1A, 7; cfi=0.90; nt=0.18; nx=1.0




GE881-3A, 7; cfi=0.90; nt=0.18; nx=1.0




GE881-5A, 7; cfi=0.90; nt=0.18; nx=1.0




GE881-7A, 7; cfi=0.90; nt=0.18; nx=1.0




GE881-2A, 7; cfi=0.90; nt=0.18; nx=1.0



GE881-4A, 7; cfi=0.90; nt=0.18; nx=1.0



















GE881-6A, 7; cfi=0.90; nt=0.18; nx=1.0



GE881-8A, 7; cfi=0.90; nt=0.18; nx=1.0

TUB-test chart GE88; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input



GE880-7A: Measurement: GE88_FRS09_92_D65_75%_O1_LU.DAT, 243 colours, 090115, Separation olv^* , adapted

TUB-test chart GE88; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input