


Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_00%\_O0  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [38, 96, 151, 236, 305, 354]$$

$$\begin{aligned} a^*_{ab} &= a^* - a^*_N - l^*_{lab} \cdot [a^*_W - a^*_N] \\ b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$



$$\begin{aligned} a^*_{ab} &= C^*_{ab,a} \cos h_{ab} \\ b^*_{ab} &= C^*_{ab,a} \sin h_{ab} \end{aligned}$$

Buntheit  
 $a^*_{ab}$


Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_00%\_O1  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [38, 96, 151, 236, 305, 354]$$

$$\begin{aligned} b^*_{ab} &= a^* - a^*_N - l^*_{lab} \cdot [a^*_W - a^*_N] \\ b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$



$$\begin{aligned} a^*_{ab} &= C^*_{ab,a} \cos h_{ab} \\ b^*_{ab} &= C^*_{ab,a} \sin h_{ab} \end{aligned}$$

Buntheit  
 $a^*_{ab}$


Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_25%\_O0  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [52, 109, 172, 253, 317, 365]$$

$$\begin{aligned} a^*_{ab} &= a^* - a^*_N - l^*_{lab} \cdot [a^*_W - a^*_N] \\ b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$



$$\begin{aligned} a^*_{ab} &= C^*_{ab,a} \cos h_{ab} \\ b^*_{ab} &= C^*_{ab,a} \sin h_{ab} \end{aligned}$$

Buntheit

$$a^*_{ab}$$


Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_25%\_O1  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [52, 109, 172, 253, 317, 365]$$

$$\begin{aligned} b^*_{ab} &= a^* - a^*_N - l^*_{lab} \cdot [a^*_W - a^*_N] \\ b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$



$$\begin{aligned} a^*_{ab} &= C^*_{ab,a} \cos h_{ab} \\ b^*_{ab} &= C^*_{ab,a} \sin h_{ab} \end{aligned}$$

Buntheit  
 $a^*_{ab}$


Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_50%\_O0  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [67, 123, 193, 270, 329, 376]$$

$$\begin{aligned} a^*_{ab} &= a^* - a^*_N - l^*_{lab} \cdot [a^*_W - a^*_N] \\ b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$




Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_50%\_O1  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [67, 123, 193, 270, 329, 376]$$

$$\begin{aligned} a^*_{ab} &= a^* - a^*_N - l^*_{lab} \cdot [a^*_W - a^*_N] \\ b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$



$$\begin{aligned} a^*_{ab} &= C^*_{ab,a} \cos h_{ab} \\ b^*_{ab} &= C^*_{ab,a} \sin h_{ab} \end{aligned}$$

Buntheit  
 $a^*_{ab}$


Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_75%\_O0  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [81, 137, 214, 287, 341, 387]$$

$$\begin{aligned} a^*_{ab} &= a^* - a^*_N - l^*_{lab} \cdot [a^*_W - a^*_N] \\ b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$



$$\begin{aligned} a^*_{ab} &= C^*_{ab,a} \cos h_{ab} \\ b^*_{ab} &= C^*_{ab,a} \sin h_{ab} \end{aligned}$$

Buntheit  
 $a^*_{ab}$


Beziehung CIELAB ( $L^*, a^*, b^*$ ) und adaptiertes (a) CIELAB ( $C^*_{ab,a}, L^*$ )  
 System: GG83\_HRS16\_96\_D65\_75%\_O1  $l^*_{lab} = (L^* - L^*_N) / (L^*_W - L^*_N)$

CIELAB-Buntonwinkel:

$$h_{ab,d} = [34, 99, 152, 232, 299, 349]$$

$$h_{ab,dx} = [81, 137, 214, 287, 341, 387]$$

$$\begin{aligned} b^*_{ab} &= b^* - b^*_N - l^*_{lab} \cdot [b^*_W - b^*_N] \\ C^*_{ab,a} &= [a^*_{ab}^2 + b^*_{ab}^2]^{1/2} \end{aligned}$$



$$\begin{aligned} a^*_{ab} &= C^*_{ab,a} \cos h_{ab} \\ b^*_{ab} &= C^*_{ab,a} \sin h_{ab} \end{aligned}$$

Buntheit  
 $a^*_{ab}$