







See original or copy: <http://web.me.com/klaus.richter/HE46/HE46L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=1; cfi=0.90; nt=0.01; nx=1.3








See original or copy: <http://web.me.com/klaus.richter/HE46/HE46L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=1; cfi=0.90; nt=0.01; nx=1.3


TUB registration: 20091101-HE46/HE46L0NP.PDF /.PS TUB material: code=rha4ta
application for evaluation and measurement of printer or monitor systems














<http://130.149.60.45/~farbmetrik/HE46/HE46L0NP.PDF> /.PS, Page 8/30; HRS16_96, L*=16_96; cf1=0.90; nt=0.01; nx=1.3

[illegible]

<http://130.149.60.45/~farbmetrik/HE46/HE46L0NP.PDF> /.PS, Page 11/30; HRS16_96, L*=16_96; cf1=0.90; nt=0.01; nx=1.3

<http://130.149.60.45/~farbmetrik/HE46/HE46L0NP.PDF> /PS, Page 14/30; HRS16_96, L*=16_96; cf1=0.90; nt=0.01; nx=1.3

http://130.149.60.45/~farbmetrik/HE46/HE46L0NP.PDF /.PS, Page 15/30; HRS16_96, L*=16_96; cf1=0.90; nt=0.01; nx=1.3

<http://130.149.60.45/~farbmetrik/HE46/HE46L0NP.PDF> /.PS, Page 18/30; HRS16_96, L*=16_96; cf1=0.90; nt=0.01; nx=1.3

[illegible]

http://130.149.60.45/~farbmetrik/HE46/HE46L0NP.PDF /.PS, Page 29/30; HRS16_96, L*=16_96; cf1=0.90; nt=0.01; nx=1.3

