




















HE850-7A: Measurement: HE85_HRS16_96_D65_00%_00_LU.DAT, 243 colours, 090115, Separation olv^* , adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations


input: $rgb \rightarrow olv^*$
output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/HE85/HE85L0NA.PS /.TXT>
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=1; cfi=0.90; nt=0.02; nx=1.0


TUB registration: 20091101-HE85/HE85L0NA.PS /.TXT
application for evaluation and measurement of printer or monitor systems
TUB material: code=rh4ta




HE850-1A, 2; cfi=0.90; nt=0.02; nx=1.0




HE850-2A, 2; cfi=0.90; nt=0.02; nx=1.0




HE851-1A, 2; cfi=0.90; nt=0.02; nx=1.0




HE851-2A, 2; cfi=0.90; nt=0.02; nx=1.0




HE850-3A, 2; cfi=0.90; nt=0.02; nx=1.0




HE850-4A, 2; cfi=0.90; nt=0.02; nx=1.0




HE851-3A, 2; cfi=0.90; nt=0.02; nx=1.0




HE851-4A, 2; cfi=0.90; nt=0.02; nx=1.0




HE850-5A, 2; cfi=0.90; nt=0.02; nx=1.0




HE850-6A, 2; cfi=0.90; nt=0.02; nx=1.0




HE851-5A, 2; cfi=0.90; nt=0.02; nx=1.0




HE851-6A, 2; cfi=0.90; nt=0.02; nx=1.0




HE850-7A, 2; cfi=0.90; nt=0.02; nx=1.0



HE850-8A, 2; cfi=0.90; nt=0.02; nx=1.0



HE851-7A, 2; cfi=0.90; nt=0.02; nx=1.0



HE851-8A, 2; cfi=0.90; nt=0.02; nx=1.0

















HE850-7A: Measurement: HE85_HRS16_96_D65_00%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/HE85/HE85L0NA.PS /.TXT>
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=1; cfi=0.90; nt=0.02; nx=1.0

TUB registration: 20091101-HE85/HE85L0NA.PS /.TXT
application for evaluation and measurement of printer or monitor systems
TUB material: code=rha4ta



















HE850-7A: Measurement: HE85_HRS16_96_D65_25%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/HE85/HE85L0NA.PS /.TXT>
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=1; cfi=0.90; nt=0.02; nx=1.0

















TUB registration: 20091101-HE85/HE85L0NA.PS /.TXT
application for evaluation and measurement of printer or monitor systems
TUB material: code=rha4ta



HE850-7A: Measurement: HE85_HRS16_96_D65_25%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow olv^*$
output: no change compared to input



HE850-7A: Measurement: HE85_HRS16_96_D65_50%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow olv^*$
output: no change compared to input



HE850-7A: Measurement: HE85_HRS16_96_D65_50%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow olv^*$
output: no change compared to input



HE85-7A: Measurement: HE85_HRS16_96_D65_75%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input



HE850-7A: Measurement: HE85_HRS16_96_D65_75%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE85; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input